

**Title 33**  
**ENVIRONMENTAL QUALITY**  
**Part VII. Solid Waste**  
**Subpart 2. Recycling**

**Chapter 105. Waste Tires**

**§10505. Definitions**

The following words, terms, and phrases, when used in conjunction with the Solid Waste Rules and Regulations, shall have the meanings ascribed to them in this Section, except where the context clearly indicates a different meaning:

\* \* \*

[See Prior Text]

*Medium Truck Tire*— a tire weighing one hundred pounds or more and normally used on semi-trailers, truck-tractor, semi-trailer combinations or other like vehicles used primarily to commercially transport persons or property on the roads of this state or any other vehicle regularly used on the roads of this state.

\* \* \*

[See Prior Text]

*Off-Road Tire*—a tire weighing one hundred pounds or more and that is normally used on off-road vehicles.

\* \* \*

[See Prior Text]

*Passenger/Light Truck/Small Farm Service Tire*—a tire weighing less than one hundred pounds and normally used on automobiles, pickup trucks, sport utility vehicles, front steer tractors, and farm implement service vehicles.

\* \* \*

[See Prior Text]

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411-2422.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 18:37 (January 1992), LR 20:1001 (September 1994), LR 22:1213 (December 1996), amended by the Office of

Environmental Assessment, Environmental Planning Division, LR 26:2773 (December 2000), LR 27:829 (June 2001), LR 27.

### **§10507. Exemptions**

A. Any persons, facilities, or other entities subject to these regulations may petition the department for exemption from these regulations or certain portions thereof in accordance with LAC 33:VII.307.

B. A vehicle operated by a local governmental body that is engaged in the collection of waste tires that are located on governmental property or on road rights of way with the tires to be taken to an authorized waste tire collection center or permitted processing facility may be granted an exemption to the transporter authorization application fee and the transporter maintenance and monitoring fee specified in LAC 33:VII.10535. A maximum of one vehicle is allowed for each governmental body under this exemption. In order to be recognized as exempt under this Subsection, the local governmental body shall submit a transporter notification form to the administrative authority indicating the governmental body's desire to take advantage of this exemption.

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411-2422.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 18:38 (January 1992), amended LR 20:1001 (September 1994), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2774 (December 2000), LR 27.

### **§10519. Standards and Responsibilities of Generators of Waste Tires**

\* \* \*

[See Prior Text in A-B]

C. Each tire dealer doing business in the state of Louisiana shall be responsible for the collection of the \$2 waste tire fee upon the sale of each new passenger/light truck tire, \$5 waste tire fee upon the sale of each new medium truck tire, and \$10 waste tire fee upon the sale of each new off-road tire weighing 100 pounds or less and a fee of \$1 per 20 pounds for tires weighing more than 100 pounds. Tires weighing 100 pounds or less include all automobile, pickup, sport utility vehicle, front steer wheel tractor, and farm implement service tires. Tires weighing more than 100 pounds and less than 500 pounds shall pay a fee based on Appendix C of this Chapter. The figures in Appendix C are based on a weighted average of each size, regardless of brand or type. No fee shall be collected on tires weighing more than 500 pounds or solid tires. "Tire dealers" includes any dealer selling new tires in Louisiana, ~~where the tire is delivered into this state.~~

D. All tire dealers shall remit the waste tire fee, as specified in LAC 33:VII.10535.B and C, to the department on a monthly basis on or before the twentieth day following the month covered. The fee shall be submitted to the Office of Management and Finance,

Financial Services Division, along with the Monthly Waste Tire Fee Report Form WT01 obtained from the Office of Management and Finance, Financial Services Division ~~department~~. Until December 31, 2001, the fee shall be reported on Form WT01 in the following tire categories: passenger/light truck, medium truck, and off-road. On January 1, 2002, the fee shall be reported on Form WT02 ~~and shall include all categories of tires listed in Appendix C~~. Every tire dealer required to make a report and remit the fee imposed by this Section shall keep and preserve records as may be necessary to readily determine the amount of fee due. Each dealer shall maintain a complete record of the quantity of tires sold, together with tire sales invoices, purchase invoices, inventory records, and copies of each Monthly Waste Tire Fee Report for a period of no less than three years. These records shall be open for inspection by the administrative authority at all reasonable hours.

\* \* \*

[See Prior Text in E-E.1]

2. "All Louisiana tire dealers are required to collect a waste tire cleanup and recycling fee of \$2 for each passenger/light truck ~~per tire~~, \$5 for each medium truck tire, and \$10 for each off-road tire ~~weighing 100 pounds or less and \$1 per 20 pounds for tires weighing more than 100 pounds~~, upon sale of each new tire. Tire fee categories are defined in the Waste Tire Regulations. ~~Tires weighing 100 pounds or less include all automobile, pickup, sport utility vehicle, front steer wheel tractor, and farm implement service tires. Tires weighing more than 100 pounds and less than 500 pounds shall pay a fee based on Appendix C of this Chapter. The figures in Appendix C are based on a weighted average of each size, regardless of brand or type.~~ No fee shall be collected on tires weighing more than 500 pounds or solid tires. This fee must be collected whether or not the purchaser retains the waste tires. Tire dealers must accept from the purchaser, at the time of sale, one waste tire for every new tire sold, unless the purchaser elects to retain the waste tire."

\* \* \*

[See Prior Text in F-I]

1. the storage is solely for the purpose of accumulating such quantities as are necessary to facilitate proper processing; ~~and~~
2. documentation supporting the storage period and the quantity required for proper processing are available at the generator's facility for department inspection-; and
3. no more than 150 tires shall be stored at the generator's place of business at one time.

\* \* \*

[See Prior Text in J-O]

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411-2422.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 18:40 (January 1992), amended LR 20:1001 (September 1994), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2777 (December 2000), LR 27:830 (June 2001), LR 27.

### **§10525. Standards and Responsibilities of Waste Tire Processors**

\* \* \*

[See Prior Text in A-D.14]

#### **E. Mobile Processors**

1. Only standard permitted processors shall be eligible to apply for mobile processor authorization certificates. Any mobile processor without a standard permit whose certificate ~~that~~ expires after the effective date of these regulations may ~~shall not be~~ have the certificate renewed for a one-time period ~~extending beyond of~~ 365 days upon request of the mobile processor ~~after the effective date of these regulations.~~

\* \* \*

[See Prior Text in E.2-F]

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411-2422.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 18:41 (January 1992), amended LR 20:1001 (September 1994), LR 22:1213 (December 1996), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2779 (December 2000), LR 27:831 (June 2001), LR 27.

### **§10533. Manifest System**

\* \* \*

[See Prior Text in A-C]

D. Completed manifests shall be maintained by all parties for a minimum of three years and shall be made available for audit at the place of business during regular business hours.

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 20:1001 (September 1994), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2780 (December 2000), LR 27:831 (June 2001), LR 27.

### **§10535. Fees and Fund Disbursement**

\* \* \*

[See Prior Text in A-A.8]

B. Waste Tire Fee upon Promulgation of These Regulations. A waste tire fee is hereby imposed on each new tire sold in Louisiana, to be collected by the tire dealer from the purchaser at the time of retail sale. The fee shall be \$2 for each passenger/light truck per tire, \$5 for each medium truck tire, and \$10 for each off-road tire weighing 100 pounds or less and \$1 per 20 pounds for tires weighing more than 100 pounds. ~~Tires weighing 100 pounds or less include all automobile, pickup, sport utility vehicle, front steer wheel tractor, and farm implement service tires. Tires weighing more than 100 pounds and less than 500 pounds shall pay a fee based on Appendix C of this Chapter. The figures in Appendix C are based on a weighted average of each size, regardless of brand or type.~~ No fee shall be collected on tires weighing more than 500 pounds or solid tires.

\* \* \*

[See Prior Text in C-D.10]

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2411 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Solid Waste Division, LR 20:1001 (September 1994), amended LR 22:1213 (December 1996), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2781 (December 2000), LR 27:832 (June 2001), LR 27.

**Appendix C****Waste Tire Fee Collection Schedule**

~~Waste tire fees shall be collected according to tire weight or by specific tire type identified in this Appendix.~~

<b>Code</b>	<b>Category</b>	<b>Waste Tire Fee</b>
A	0 to 100 pounds	\$2.00
B	101 to 120 pounds	6.00
C	121 to 140 pounds	7.00
D	141 to 160 pounds	8.00
E	161 to 180 pounds	9.00
F	181 to 200 pounds	10.00
G	201 to 220 pounds	11.00
H	221 to 240 pounds	12.00
I	241 to 260 pounds	13.00
J	261 to 280 pounds	14.00
K	281 to 300 pounds	15.00
L	301 to 320 pounds	16.00
M	321 to 340 pounds	17.00
N	341 to 360 pounds	18.00
O	361 to 380 pounds	19.00
P	381 to 400 pounds	20.00

Q	401 to 420 pounds	21.00
R	421 to 440 pounds	22.00
S	441 to 460 pounds	23.00
T	461 to 480 pounds	24.00
U	481 to 499 pounds	25.00
V	500 pounds or larger	No Fee

~~—\$2 shall be collected on all tires weighing less than 100 pounds unless specifically excluded by these regulations.~~

Medium Truck Tires		
Bias, tube type	Code	Fee
825-20—	A	\$2.00
900-20	A	2.00
1000-20	B	6.00
1000-22	B	6.00
Radial, tube type	Code	Fee
900 R20	C	\$ 7.00
1000 R20	C	7.00
1100 R20	D	8.00
1200 R20	F	10.00
1400 R20	I	13.00
1100 R22	E	9.00
1100 R24	E	9.00
1200 R24	F	10.00
Radial, tubeless	Code	Fee
9 R22.5	A	\$2.00
10 R22.5	B	6.00
11 R22.5	C	7.00
12 R22.5	D	8.00
11 R24.5	C	7.00
12 R24.5	D	8.00
Radial, low profile	Code	Fee
295/75 R22.5	C	\$7.00

<b>Medium Truck Tires</b>		
285/75 R24.5	C	-7.00
<b>Super Single</b>	<b>Code</b>	<b>Fee</b>
315/80 R22.5	D	\$ 8.00
385/65 R22.5	F	-10.00
425/65 R22.5	G	-11.00
445/65 R22.5	H	-12.00

<b>Rear Farm Tire, Bias</b>	<b>Code</b>	<b>Fee</b>
14.9 24	B	\$ 6.00
16.9 24	C	-7.00
17.5L 24	D	-8.00
18.4 24	F	-10.00
19.5L 24	E	-9.00
21L 24	H	-12.00
16.9 26	H	-12.00
18.4 26	H	-12.00
23.1 26	N	-18.00
28L 26	R	-16.00
13.6 28	B	-6.00
14.9 28	C	-7.00
16.9 28	E	-9.00
18.4 28	F	-10.00
21L 28	J	-14.00
16.9 30	F	-10.00
18.4 30	F	-10.00
23.1 30	L	-16.00
24.5 32 R	R	-22.00
VA500/95D32	U	-25.00
16.9 34	G	-11.00
18.4 34	H	-12.00
20.8	M	-17.00
23.1 34	N	-18.00
11.2 38	B	-6.00
12.4 38	B	-6.00
13.6 38	C	-7.00
15.5 38	D	-8.00
16.9 38	G	-11.00
18.4 38	I	-13.00
20.8 38	N	-18.00
9.5 42	A	-2.00
20.8 42	P	-20.00

<b>Rear Farm Tire, Radial</b>	<b>Code</b>	<b>Fee</b>
280/70 R 18	I	\$13.00
380/70 R 20	B	-6.00
380/70 R 34	D	-8.00
14.9 R 24	G	-11.00
320/75 R 24	A	-2.00



<b>Rear Farm Tire, Radial</b>	<b>Code</b>	<b>Fee</b>
16.9 R 24	F	-10.00
16.9 R 26	G	-11.00
18.4 R 26	J	-14.00
620/75 R 26	R	-22.00
13.6 R 28	D	-8.00
14.9 R 28	G	-11.00
16.9 R 28	H	-12.00
600/65 R 28	G	-11.00
420/70 R 28	F	-10.00
480/70 R 28	J	-14.00
440/80 R 28	B	-6.00
380/85 R 28	B	-6.00
420/85 R 28	B	-6.00
385/80 R 30	B	-6.00
420/90 R 30	B	-6.00
14.9 R 30	G	-11.00
16.9 R 30	I	-13.00
18.4 R 30	I	-13.00
480/70 R 30	K	-15.00
520/70 R 30	J	-14.00
540/65 R 30	J	-14.00
30.5L R 32	Q	-21.00
12.4 R 32	S	-23.00
14.9 R 34	G	-11.00
320/85 R 34	E	-9.00
380/85 R 34	G	-11.00
385/85 R 34	H	-12.00
480/85 R 34	I	-13.00
16.9 R 34	I	-13.00
18.4 R 34	I	-13.00
12.4 R 36	I	-13.00
13.6 R 36	I	-13.00
15.5 R 38	F	-10.00
480/80 R 38	J	-14.00
520/85 R 38	O	-19.00
18.4 R 38	M	-17.00
20.8 R 38	P	-20.00
13.6 R 38	I	-13.00
16.9 R 38	J	-14.00
320/90 R 42	F	-10.00
480/80 R 42	M	-17.00
520/85 R 42	Q	-21.00
18.4 R 42	M	-17.00
20.8 R 42	R	-22.00
14.9 R 46	K	-15.00
18.4 R 46	P	-20.00
320/90 R 46	H	-12.00
340/85 R 46	K	-15.00
380/90 R 46	J	-13.00
380/85 R 46	L	-16.00
420/80 R 46	L	-16.00

<b>Rear Farm Tire, Radial</b>	<b>Code</b>	<b>Fee</b>
480/80 R-46	L	-16.00
520/85 R-46	T	-24.00
480/80 R-50	R	-22.00

<b>Construction Tires Including Grader and Loader</b>	<b>Code</b>	<b>Fee</b>
750-15	A	\$ 2.00
820-15	A	— 2.00
825-20	A	— 2.00
900-15	A	— 2.00
900-16	A	— 2.00
950-20	I	-13.00
1000-24	B	— 6.00
1100-16	A	— 2.00
1100-20	E	— 9.00
1200-20	H	-12.00
1200-24	K	-15.00
1200 R-24	M	-17.00
1300-20	O	-19.00
1300-24	G	-11.00
1300 R-24	J	-14.00
1400-20	L	-16.00
1400 R-20	K	-15.00
1400 R-21	K	-15.00
1400-24	P	-20.00
1400 R-24	Q	-21.00
1400-25	J	-14.00
1400 R-25	R	-22.00
1600-16	A	— 2.00
1600-20	K	-15.00
1600 R-20	M	-17.00
1600-21	R	-22.00
1600 R-21	O	-19.00
1600-24	P	-20.00
1600 R-24	P	-20.00
2725-21	O	-19.00